

Package: gto (via r-universe)

October 1, 2026

Type Package

Title Insert 'gt' Tables into Word Documents

Version 0.1.2

Description Insert tables created by the 'gt' R package into 'Microsoft Word' documents. This gives users the ability to add to their existing word documents the tables made in 'gt' using the familiar 'officer' package and syntax from the 'officeverse'.

License Apache License (>= 2)

Encoding UTF-8

Imports gt (>= 0.8.0), magrittr, officer, rlang, xml2

Suggests testthat (>= 3.0.0), dplyr, tibble, covr

RoxygenNote 7.2.1

Config/testthat/edition 3

NeedsCompilation no

Author Ellis Hughes [aut, cre]
(<<https://orcid.org/0000-0003-0637-4436>>), GlaxoSmithKline
Research & Development Limited [cph, fnd]

Maintainer Ellis Hughes <ellis.h.hughes@gsk.com>

Config/pak/sysreqs
cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev make libharfbuzz-dev libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev libnode-dev

Repository <https://thebioengineer.r-universe.dev>

Date/Publication 2024-09-27 03:01:06 UTC

RemoteUrl <https://github.com/cran/gto>

RemoteRef HEAD

RemoteSha 1b5f83505525a2fcfd4bfa7e91fd1701dc7dbced

Contents

body_add_gt 2

body_add_gt	Add 'gt' table into a Word document
-------------	-------------------------------------

Description

Add a 'gt' table into a Word document. The table will be processed using the [as_word](#) function then inserted either after, before, or on the cursor location.

Usage

```
body_add_gt(  
    x,  
    value,  
    align = "center",  
    pos = c("after", "before", "on"),  
    caption_location = c("top", "bottom", "embed"),  
    caption_align = "left",  
    split = FALSE,  
    keep_with_next = TRUE  
)
```

Arguments

x	'rdocx' object
value	'gt_tbl' object
align	left, center (default) or right.
pos	where to add the gt table relative to the cursor, one of "after" (default), "before", "on" (end of line).
caption_location	top (default), bottom, or embed indicating if the title and subtitle should be listed above, below, or be embedded in the table
caption_align	left (default), center, or right. Alignment of caption (title and subtitle). Used when 'caption_location' is not "embed".
split	set to TRUE if you want to activate Word option 'Allow row to break across pages'.
keep_with_next	Word option 'keep rows together' can be activated when TRUE. It avoids page break within tables.

Value

An updated rdocx object with a 'gt' table inserted

See Also

```
flextable::body_add_flextable()
```

Examples

```
library(officer)
library(gt)

gt_tbl <- gt(head(exibble))

doc <- read_docx()
doc <- body_add_gt(doc, value = gt_tbl)
fileout <- tempfile(fileext = ".docx")
print(doc, target = fileout)
```

Index

as_word, [2](#)

body_add_gt, [2](#)